

Re-Order No.  
700739

 **MAJOR**<sup>®</sup>

**NEW  
Formula**

3



2

# Prenatal Tablets

*A Dietary Supplement For  
Pregnant & Lactating Women*

**POTENCY  
GUARANTEED**

**100 TABLETS**

## Supplement Facts

Serving Size: 1 Tablet

Amount Per Serving	% Daily Value*
Vitamin A (as Acetate and Beta Carotene)	4000 I.U. 50%
Vitamin C (as Ascorbic Acid)	100 mg. 167%
Vitamin D-3 (as Cholecalciferol)	400 I.U. 100%
Vitamin E (as dl-Alpha Tocopheryl Acetate)	11 I.U. 37%
Vitamin B-1 (as Thiamine Mononitrate)	1.5 mg. 88%
Vitamin B-2 (Riboflavin)	1.7 mg. 85%
Vitamin B-3 (as Niacinamide)	18 mg. 90%
Vitamin B-6 (as Pyridoxine HCl)	2.6 mg. 104%
Folic Acid	0.8 mg. 100%
Vitamin B-12 (as Cyanocobalamin)	4 mcg. 50%
Calcium (as Calcium Carbonate and Calcium Sulfate)	263 mg. 26%
Iron (as Ferrous Fumarate)	27 mg. 150%
Zinc (as Zinc Oxide)	25 mg. 167%

\*% Daily Value for Pregnant and Lactating Women

**OTHER INGREDIENTS:** Microcrystalline Cellulose, Stearic Acid, Hypromellose, Croscarmellose Sodium, Gelatin, Acacia, Maltodextrin, Titanium Dioxide, Talc, Triacetin, Starch, Magnesium Stearate, Dicalcium Phosphate, Mineral Oil, Sucrose, Silica, Sodium Ascorbate, Triglycerides, FD&C Red #40 Lake, FD&C Yellow #6 Lake, Tocopherols, Sodium Benzoate, Sorbic Acid, Tricalcium Phosphate, BHT and Ascorbyl Palmitate.

**DIRECTIONS:** For adults, take one (1) tablet daily, preferably with a meal. As a reminder, discuss the supplements and medications you take with your health care providers.

**WARNING:** If you are pregnant, nursing, taking any medications or planning any medical procedure, consult your doctor before use. Discontinue use and consult your doctor if any adverse reactions occur.

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under six. **KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN.** In case of accidental overdose, call a doctor or Poison Control Center immediately.

**FREE OF:** Yeast, wheat, milk or milk derivatives, soy, artificial flavor, sodium (less than 5 mg per serving).  
**STORE AT ROOM TEMPERATURE AND AVOID EXCESSIVE HEAT. TAMPER RESISTANT: DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**

Distributed by: **MAJOR**<sup>®</sup> **PHARMACEUTICALS**  
31778 Enterprise Drive, Livonia, MI 48150, USA  
**Questions or Comments? (800) 616-2471**

M-29  
Rev. 03/16  
7434-03-16